



Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Mon, 11 Jun 2007, 2:24:11 AM EST

Edit an existing query or  
compose a new query in the  
Search Query Display.

## Search Query Display

Select a search number (#)  
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

## Recent Search Queries

- [#1](#) (sobel a.<in>au)
- [#2](#) (sobel a.<in>au)
- [#3](#) (sobel a.l.<in>au)
- [#4](#) (sobel a.<in>au)
- [#5](#) (sobel a.<in>au)
- [#6](#) (sobel a.<in>au)
- [#7](#) (sobel a.e.k.<in>au)
- [#8](#) (sobel a.l.<in>au)
- [#9](#) (sobel a.l.<in>au)
- [#10](#) (sachs t.<in>au)
- [#11](#) (sachs t.s.<in>au)
- [#12](#) (sachs t.s.<in>au)
- [#13](#) (sachs a.<in>au)

Indexed by  
 Inspec

[Help](#) [Contact Us](#) [Privacy & :](#) 

© Copyright 2006 IEEE -

Day : Monday  
Date: 6/11/2007

Time: 00:13:50

**PALM INTRANET****Inventor Name Search Result**

Your Search was:

Last Name = SOBEL

First Name = ARTHUR

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<a href="#">08316280</a>	<a href="#">5557233</a>	150	09/30/1994	FILTER FOR COMPUTER BUS SIGNALS	SOBEL, ARTHUR
<a href="#">09295727</a>	<a href="#">6300935</a>	150	04/20/1999	IMAGE INTERPOLATION CIRCUIT ARCHITECTURE AND METHOD FOR FAST BI-CUBIC INTERPOLATION OF IMAGE INFORMATION	SOBEL, ARTHUR
<a href="#">09296194</a>	<a href="#">6320593</a>	150	04/20/1999	METHOD OF FAST BI-CUBIC INTERPOLATION OF IMAGE INFORMATION	SOBEL, ARTHUR
<a href="#">09615963</a>	<a href="#">6707937</a>	150	07/14/2000	INTERPOLATION OF EDGE PORTIONS OF A DIGITAL IMAGE	SOBEL, ARTHUR
<a href="#">09637855</a>	Not Issued	161	08/10/2000	Apparatus and method for correcting non-linearity in response of an image sensor	SOBEL, ARTHUR
<a href="#">10763608</a>	Not Issued	30	01/23/2004	Interpolation of edge portions of a digital image	SOBEL, ARTHUR

**Inventor Search Completed: No Records to Display.**

**Search Another: Inventor**

<b>Last Name</b>	<b>First Name</b>	
<input type="text" value="SOBEL"/>	<input type="text" value="ARTHUR"/>	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Monday  
Date: 6/11/2007

Time: 02:34:03


**PALM INTRANET**

## Inventor Name Search Result

Your Search was:

Last Name = SACHS

First Name = TODD

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<a href="#">11492633</a>	Not Issued	30	07/25/2006	Displacement type pointing device and method	SACHS, TODD
<a href="#">11500077</a>	Not Issued	30	08/07/2006	Optical motion sensing	SACHS, TODD
<a href="#">09615963</a>	<a href="#">6707937</a>	150	07/14/2000	INTERPOLATION OF EDGE PORTIONS OF A DIGITAL IMAGE	SACHS, TODD S.
<a href="#">09969040</a>	<a href="#">7187405</a>	150	10/02/2001	AUTOMATIC FLICKER FREQUENCY DETECTION DEVICE AND METHOD	SACHS, TODD S.
<a href="#">10199376</a>	<a href="#">6983080</a>	150	07/19/2002	RESOLUTION AND IMAGE QUALITY IMPROVEMENTS FOR SMALL IMAGE SENSORS	SACHS, TODD S.
<a href="#">10284696</a>	<a href="#">7079705</a>	150	10/30/2002	COLOR INTERPOLATION FOR IMAGE SENSORS USING A LOCAL LINEAR REGRESSION METHOD	SACHS, TODD S.
<a href="#">10763608</a>	Not Issued	30	01/23/2004	Interpolation of edge portions of a digital image	SACHS, TODD S.
<a href="#">11010666</a>	Not Issued	30	12/13/2004	Apparatus for controlling the position of a screen pointer based on projection data	SACHS, TODD S.
<a href="#">11012966</a>	Not Issued	30	12/15/2004	Sliding structure location on a pointing device corrected for non-linearity of measured differential	SACHS, TODD S.
<a href="#">11021290</a>	Not Issued	71	12/23/2004	Slide pad system and method	SACHS, TODD S.
<a href="#">11051107</a>	Not Issued	30	02/04/2005	One dimensional and three dimensional extensions of the slide pad	SACHS, TODD S.
<a href="#">11506244</a>	Not Issued	25	08/17/2006	System and method for automatic re-calulation and monitoring of	SACHS, TODD S.

				thresholds in a puck-based pointing device	
<u>11506245</u>	Not Issued	30	08/17/2006	System and method for determining cursor speed in a puck-based pointing device	SACHS, TODD S.
<u>11653161</u>	Not Issued	25	01/13/2007	Automatic flicker frequency detection device and method	SACHS, TODD S.
<u>08286049</u>	<u>5427101</u>	150	08/04/1994	DIMINISHING VARIANCE PROCESS FOR REAL-TIME REDUCTION OF MOTION ARTIFACTS IN MRI	SACHS, TODD S.
<u>09295727</u>	<u>6300935</u>	150	04/20/1999	IMAGE INTERPOLATION CIRCUIT ARCHITECTURE AND METHOD FOR FAST BI-CUBIC INTERPOLATION OF IMAGE INFORMATION	SACHS, TODD S.
<u>09296194</u>	<u>6320593</u>	150	04/20/1999	METHOD OF FAST BI-CUBIC INTERPOLATION OF IMAGE INFORMATION	SACHS, TODD S.
<u>10801014</u>	<u>7091471</u>	150	03/15/2004	USING EYE DETECTION FOR PROVIDING CONTROL AND POWER MANAGEMENT OF ELECTRONIC DEVICES	SACHS, TODD STEPHEN
<u>10989126</u>	Not Issued	30	11/15/2004	Identification card with bio-sensor and user authentication method	SACHS, TODD STEPHEN
<u>11028151</u>	Not Issued	30	01/04/2005	Detecting an eye of a user and determining location and blinking state of the user	SACHS, TODD STEPHEN
<u>11054095</u>	Not Issued	30	02/08/2005	Spectral normalization using illuminant exposure estimation	SACHS, TODD STEPHEN
<u>11069341</u>	Not Issued	30	02/28/2005	Hybrid pointing device	SACHS, TODD STEPHEN

Inventor Search Completed: No Records to Display.

<b>Search Another: Inventor</b>	<b>Last Name</b>	<b>First Name</b>	<input type="button" value="Search"/>
	<input type="text" value="SACHS"/>	<input type="text" value="TODD"/>	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	6	edge with adapt\$5 with interpolat\$3 with (color or colour)	USPAT	2007/06/11 02:36
2	BRS	L2	12	(edge or contour or border or boundar\$3) with adapt\$5 with interpolat\$3 with (color or colour)	USPAT	2007/06/11 02:37
3	BRS	L3	1	(edge or contour or border or boundar\$3) with adapt\$5 with interpolat\$3 with (color or colour) same (linear or bilinear or cubic or spline)	USPAT	2007/06/11 02:40
4	BRS	L4	1	(edge or contour or border or boundar\$3) with adapt\$5 with interpolat\$3 with (color or colour) same (linear or bilinear or cubic or spline or long or short)	USPAT	2007/06/11 02:41
5	BRS	L5	82	(edge or contour or border or boundar\$3) with interpolat\$3 with (color or colour) same (linear or bilinear or cubic or spline or long or short)	USPAT	2007/06/11 02:42
6	BRS	L6	1031	((edge or contour or border or boundar\$3) with interpolat\$3) same (linear or bilinear or cubic or spline or long or short)	USPAT	2007/06/11 02:43

	Type	L #	Hits	Search Text	DBs	Time Stamp
7	BRS	L7	198	((edge or contour or border or boundar\$3) with interpolat\$3) same (linear or bilinear or cubic or spline or long or short) same (adaptiv\$3 or select\$3 or otherwise)	USPAT	2007/06/11 02:48
8	BRS	L8	23	((edge or contour or border or boundar\$3) with interpolat\$3) same (linear or bilinear or cubic or spline or long or short) same (adaptiv\$3 or select\$3 or otherwise) same (color or colour or grey or gray or grayscale or greyscale)	USPAT	2007/06/11 02:45
9	BRS	L9	24	((edge or contour or border or boundar\$3) with interpolat\$3) same (linear or bilinear or cubic or spline or long or short) same (adaptiv\$3 or select\$3 or otherwise) same (color or colour or grey or gray or grayscale or greyscale)	US-PGPUB	2007/06/11 02:46

	Type	L #	Hits	Search Text	DBs	Time Stamp
10	BRS	L10	6	((edge or contour or border or boundar\$3) with interpolat\$3) same (linear or bilinear or cubic or spline or long or short) same (adaptiv\$3 or select\$3 or otherwise) same (color or colour or grey or gray or grayscale or greyscale)	USOCR; FPRS; EPO; JPO; DERWE NT; IBM_T DB	2007/06/11 02:46
11	BRS	L11	200	((edge or contour or border or boundar\$3) with interpolat\$3) same (linear or bilinear or long) same (cubic or spline or long or nonlinear or non-linear)	USPAT	2007/06/11 02:49

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	6	edge with adapt\$5 with interpolat\$3 with (color or colour)	USPAT	2007/06/11 02:36
2	BRS	L2	12	(edge or contour or border or boundar\$3) with adapt\$5 with interpolat\$3 with (color or colour)	USPAT	2007/06/11 02:37
3	BRS	L3	1	(edge or contour or border or boundar\$3) with adapt\$5 with interpolat\$3 with (color or colour) same (linear or bilinear or cubic or spline)	USPAT	2007/06/11 02:40
4	BRS	L4	1	(edge or contour or border or boundar\$3) with adapt\$5 with interpolat\$3 with (color or colour) same (linear or bilinear or cubic or spline or long or short)	USPAT	2007/06/11 02:41
5	BRS	L5	82	(edge or contour or border or boundar\$3) with interpolat\$3 with (color or colour) same (linear or bilinear or cubic or spline or long or short)	USPAT	2007/06/11 02:42
6	BRS	L6	1031	((edge or contour or border or boundar\$3) with interpolat\$3) same (linear or bilinear or cubic or spline or long or short)	USPAT	2007/06/11 02:43



	Type	L #	Hits	Search Text	DBs	Time Stamp
7	BRS	L7	198	((edge or contour or border or boundar\$3) with interpolat\$3) same (linear or bilinear or cubic or spline or long or short) same (adaptiv\$3 or select\$3 or otherwise)	USPAT	2007/06/11 02:44
8	BRS	L8	23	((edge or contour or border or boundar\$3) with interpolat\$3) same (linear or bilinear or cubic or spline or long or short) same (adaptiv\$3 or select\$3 or otherwise) same (color or colour or grey or gray or grayscale or greyscale)	USPAT	2007/06/11 02:45
9	BRS	L9	24	((edge or contour or border or boundar\$3) with interpolat\$3) same (linear or bilinear or cubic or spline or long or short) same (adaptiv\$3 or select\$3 or otherwise) same (color or colour or grey or gray or grayscale or greyscale)	US-PGPUB	2007/06/11 02:46

	Type	L #	Hits	Search Text	DBs	Time Stamp
10	BRS	L10	6	((edge or contour or border or boundar\$3) with interpolat\$3) same (linear or bilinear or cubic or spline or long or short) same (adaptiv\$3 or select\$3 or otherwise) same (color or colour or grey or gray or grayscale or greyscale)	USOCR ; FPRS; EPO; JPO; DERWE NT; IBM_T DB	2007/06/11 02:46